

=> fil casreact  
COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'CASREACT' ENTERED AT 16:05:53 ON 15 NOV 2005  
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 13 Nov 2005 VOL 143 ISS 20

New CAS Information Use Policies, enter HELP USAGETERMS for details.


```
*****
*
*   CASREACT now has more than 9.2 million reactions
*
*****
```

Some CASREACT records are derived from the ZIC/VINITI database (1974-1991) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10785627\rxn1.str



chain nodes :

6 7 8 9 16 17 18 19

ring nodes :

1 2 3 4 5 11 12 13 14 15

chain bonds :

4-6 4-7 6-8 6-9 13-16 13-17 16-18 16-19

ring bonds :

1-2 1-5 2-3 3-4 4-5 11-12 11-15 12-13 13-14 14-15

exact/norm bonds :

1-2 1-5 2-3 3-4 4-5 4-6 4-7 6-8 6-9 11-12 11-15 12-13 13-14 13-16

13-17 14-15 16-18 16-19

isolated ring systems :

containing 1 : 11 :

G1:O,S

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 11:Atom  
12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 17:CLASS 18:CLASS 19:CLASS

fragments assigned product role:

containing 1

fragments assigned reactant/reagent role:

containing 11

node mappings:


4:13 6:16 5:14 2:11 3:12

L1 STRUCTURE UPLOADED

=&gt; d 11

L1 HAS NO ANSWERS

L1 STR



G1 O,S

Structure attributes must be viewed using STN Express query preparation.

=&gt; s 11

SAMPLE SEARCH INITIATED 16:06:24 FILE 'CASREACT'

SCREENING COMPLETE - 2012 REACTIONS TO VERIFY FROM 156 DOCUMENTS

100.0% DONE 2012 VERIFIED 5 HIT RXNS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED VERIFICATIONS: 37555 TO 42925

PROJECTED ANSWERS: 1 TO 79

L2 1 SEA SSS SAM L1 ( 5 REACTIONS)

=&gt; s 11 full

FULL SEARCH INITIATED 16:06:35 FILE 'CASREACT'

SCREENING COMPLETE - 43189 REACTIONS TO VERIFY FROM 2748 DOCUMENTS

100.0% DONE 43189 VERIFIED 75 HIT RXNS

SEARCH TIME: 00.00.03

L3 17 SEA SSS FUL L1 ( 75 REACTIONS)

=&gt; d ibib 1-17

L3 ANSWER 1 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
 ACCESSION NUMBER: 142:6783 CASREACT  
 TITLE: Stereocontrolled  $\alpha$ -alkylation of fully protected L-serine  
 AUTHOR(S): Brunner, Martin; Saarenketo, Pauli; Straub, Thomas; Rissanen, Kari; Koskinen, Ari M. P.  
 CORPORATE SOURCE: Laboratory of Organic Chemistry, Helsinki University of Technology, Espoo, 02150, Finland  
 SOURCE: European Journal of Organic Chemistry (2004), (18), 3879-3883  
 CODEN: EJOCFK; ISSN: 1434-193X  
 PUBLISHER: Wiley-VCH Verlag GmbH & Co. KGaA  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 REFERENCE COUNT: 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
 ACCESSION NUMBER: 141:243544 CASREACT  
 TITLE: ~~Process for electrophilic substitution of thiazolidinecarboxylates or oxazolidinecarboxylates~~  
 INVENTOR(S): Heldmann, Dieter; Stohrer, Juergen  
 PATENT ASSIGNEE(S): Consortium fuer Elektrochemische Industrie G.m.b.H., Germany  
 SOURCE: Eur. Pat. Appl., 17 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1452529	A1	20040901	EP 2004-3742	20040219
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
DE 10308580	B3	20040909	DE 2003-10308580-20030227	
US 2004171840	A1	20040902	US 2004-785627	20040224
PRIORITY APPLN. INFO.:			DE 2003-10308580	20030227
OTHER SOURCE(S):	MARPAT 141:243544			
REFERENCE COUNT:	2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT			

*Instant App*

L3 ANSWER 3 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
 ACCESSION NUMBER: 141:7410 CASREACT  
 TITLE: Highly diastereoselective aldol additions to five-ring N,O-acetals  
 AUTHOR(S): Brunner, Martin; Koskinen, Ari M. P.  
 CORPORATE SOURCE: Laboratory of Organic Chemistry, Helsinki University of Technology, Espoo, FIN-02150, Finland  
 SOURCE: Tetrahedron Letters (2004), 45(15), 3063-3065  
 CODEN: TELEAY; ISSN: 0040-4039  
 PUBLISHER: Elsevier Science B.V.  
 DOCUMENT TYPE: Journal

LANGUAGE: English  
REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 138:304273 CASREACT  
TITLE: Preparation of 2-aryl-4-methylthiazol-(4S)-carboxylic  
acids via the condensation of 2-methyl-D-cysteine and  
arylnitriles  
INVENTOR(S): Krich, Sylvia; Rieder, Alexander; Heu, Ferdinand;  
Steinbauer, Gerhard  
PATENT ASSIGNEE(S): DSM Fine Chemicals Austria NFG GmbH & Co. KG, Austria  
SOURCE: Eur. Pat. Appl., 13 pp.  
CODEN: EPXXDW  
DOCUMENT TYPE: Patent  
LANGUAGE: German  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

103  
~~SECRET~~

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1302467	A2	20030416	EP 2002-21002	20020920
EP 1302467	A3	20030502		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
US 2003088105	A1	20030508	US 2002-270324	20021015
US 6894170	B2	20050517		
JP 2003201284	A2	20030718	JP 2002-300807	20021015
US 2005101782	A1	20050512	US 2004-11110	20041215
PRIORITY APPLN. INFO.:			AT 2001-1639	20011016
			US 2002-270324	20021015

OTHER SOURCE(S): MARPAT 138:304273

L3 ANSWER 5 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 138:39490 CASREACT  
TITLE: Stereoselective synthesis of amino-substituted apio  
dideoxynucleosides through a distant neighboring group  
effect  
AUTHOR(S): Choi, Won Jun; Ahn, Hee Sung; Kim, Hea Ok; Kim,  
Sanghee; Chun, Moon Woo; Jeong, Lak Shin  
CORPORATE SOURCE: College of Pharmacy, Laboratory of Medicinal  
Chemistry, Ewha Womans University, Seoul, 120-750, S. Korea  
SOURCE: \* Tetrahedron Letters (2002), 43(35), 6241-6243  
CODEN: TELEAY; ISSN: 0040-4039  
PUBLISHER: Elsevier Science Ltd.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

-78°C  
X

L3 ANSWER 6 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 137:279432 CASREACT  
TITLE: Electrolytic partial fluorination of organic  
compounds. Part 61: The first example of direct  
 $\alpha$ -fluorination of protected  $\alpha$ -amino acids  
AUTHOR(S): Baba, Daisuke; Fuchigami, Toshio

Electrochem.  
X

CORPORATE SOURCE: Department of Electronic Chemistry, Tokyo Institute of Technology, Nagatsuta, Midori-ku, Yokohama, 226-8502, Japan  
SOURCE: \* Tetrahedron Letters (2002); 43(27), 4805-4808  
CODEN: TELEAY; ISSN: 0040-4039  
PUBLISHER: Elsevier Science Ltd.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 7 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 137:181472 CASREACT  
TITLE: Alpha-alkylcysteines as inhibitors for carboxypeptidase A. Synthesis, evaluation, and implication for inhibitor design strategy  
AUTHOR(S): Lee, Hyun Soo; Kim, Dong H.  
CORPORATE SOURCE: Department of Chemistry, Division of Molecular and Life Sciences, Pohang University of Science and Technology, Pohang, 790-784, S. Korea  
SOURCE: Bulletin of the Korean Chemical Society (2002), 23(4), 593-598  
CODEN: BKCSDE; ISSN: 0253-2964  
PUBLISHER: Korean Chemical Society  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

LDA / THF  
-90°C  
X

L3 ANSWER 8 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 136:151019 CASREACT  
TITLE: Synthetic studies toward kaitocephalin  
AUTHOR(S): Loh, T.-P.; Chok, Y.-K.; Yin, Z.  
CORPORATE SOURCE: Department of Chemistry, National University of Singapore, Singapore, 117543, Singapore  
SOURCE: \* Tetrahedron Letters (2001), 42(44), 7893-7897  
CODEN: TELEAY; ISSN: 0040-4039  
PUBLISHER: Elsevier Science Ltd.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

-78°C  
X

L3 ANSWER 9 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 135:5516 CASREACT  
TITLE: Asymmetric synthesis of quaternary tetrahydroisoquinoline-3-carboxylic acid derivatives  
AUTHOR(S): Alezra, V.; Bonin, M.; Micouin, L.; Husson, H.-P.  
CORPORATE SOURCE: Faculte des Sciences Pharmaceutiques et Biologiques, Laboratoire de Chimie Therapeutique associe au CNRS et a l'Universite Rene Descartes, Paris, 75270, Fr.  
SOURCE: \* Tetrahedron Letters (2001), 42(11), 2111-2113  
CODEN: TELEAY; ISSN: 0040-4039  
PUBLISHER: Elsevier Science Ltd.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

-78°C  
X

## RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 10 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 133:17760 CASREACT  
TITLE: Asymmetric functionalization of a chiral non-racemic oxazolidine ester enolate. A new route towards the preparation of quaternary serine esters  
AUTHOR(S): Alezra, Valerie; Bonin, Martine; Chiaroni, Angele; Micouin, Laurent; Riche, Claude; Husson, Henri-Philippe  
CORPORATE SOURCE: Laboratoire de Chimie Therapeutique associe au CNRS et a l'Universite Rene Descartes (UMR 8638), Faculte des Sciences Pharmaceutiques et Biologiques, Paris, 75270, Fr. -78°C  
SOURCE: \* Tetrahedron Letters (2000), 41(11), 1737-1740 X  
CODEN: TELEAY; ISSN: 0040-4039  
PUBLISHER: Elsevier Science Ltd.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 11 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 119:73043 CASREACT  
TITLE: Enantioselective synthesis of 2-alkyl substituted cysteines  
AUTHOR(S): Pattenden, Gerald; Thom, Stephen M.; Jones, Martin F. -78°C  
CORPORATE SOURCE: Dep. Chem., Univ. Nottingham, Nottingham, NG7 2RD, UK  
SOURCE: \* Tetrahedron (1993), 49(10), 2131-8. n IDS  
CODEN: TETRAB; ISSN: 0040-4020  
DOCUMENT TYPE: Journal  
LANGUAGE: English

L3 ANSWER 12 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 118:60072 CASREACT X  
TITLE: Total synthesis of lactacystin  
AUTHOR(S): Corey, E. J.; Reichard, Gregory A. -78°C  
CORPORATE SOURCE: Dep. Chem., Harvard Univ., Cambridge, MA, 02138, USA  
SOURCE: \* Journal of the American Chemical Society (1992), 114(26), 10677-8  
CODEN: JACSAT; ISSN: 0002-7863  
DOCUMENT TYPE: Journal  
LANGUAGE: English

L3 ANSWER 13 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 114:24532 CASREACT  
TITLE: Synthesis of 2-carboxy-substituted sphingosine derivatives  
AUTHOR(S): Singh, Narrinder P.; Giannis, Athanassios; Henk, Elfi; Kolter, Thomas; Sandhoff, Konrad; Schmidt, Richard R.  
CORPORATE SOURCE: Fak. Chem., Univ. Konstanz, Konstanz, D-7750, Germany  
SOURCE: Journal of Carbohydrate Chemistry (1990), 9(5), 543-59  
CODEN: JCACDM; ISSN: 0732-8303  
DOCUMENT TYPE: Journal  
LANGUAGE: English

Not Online

~~QD~~

L3 ANSWER 14 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 108:187232 CASREACT  
TITLE: Stereoselective alkylation at C( $\alpha$ ) of serine,  
glyceric acid, threonine, and tartaric acid involving  
heterocyclic enolates with exocyclic double bonds  
AUTHOR(S): Seebach, Dieter; Aebi, Johannes D.; Gander-Coquoz,  
Marlyse; Naef, Reto  
CORPORATE SOURCE: Lab. Org. Chem., Eidg. Tech. Hochsch., Zurich,  
CH-8092, Switz.  
SOURCE: Helvetica Chimica Acta (1987), 70(4), 1194-216  
CODEN: HCACAV; ISSN: 0018-019X  
DOCUMENT TYPE: Journal  
LANGUAGE: German

IDS

L3 ANSWER 15 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 105:133326 CASREACT  
TITLE: Asymmetric Michael additions. Stereoselective  
alkylation of chiral, non-racemic enolates by nitro  
olefins. Preparation of enantiomerically pure  
 $\gamma$ -aminobutyric and succinic acid derivatives  
AUTHOR(S): Calderari, Giorgio; Seebach, Dieter  
CORPORATE SOURCE: Lab. Org. Chem., Eidg. Tech. Hochsch., Zurich,  
CH-8092, Switz.  
SOURCE: Helvetica Chimica Acta (1985), 68(6), 1592-604  
CODEN: HCACAV; ISSN: 0018-019X  
DOCUMENT TYPE: Journal  
LANGUAGE: German

Not  
online

QOI. H4

L3 ANSWER 16 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 101:230964 CASREACT  
TITLE:  $\alpha$ -Alkylation of serine with self-reproduction of  
the center of chirality  
AUTHOR(S): Seebach, Dieter; Aebi, Johannes D.  
CORPORATE SOURCE: Lab. Org. Chem., Eidg. Tech. Hochsch., Zurich,  
CH-8092, Switz.  
SOURCE: \* Tetrahedron Letters (1984), 25(24), 2545-8  
CODEN: TELEAY; ISSN: 0040-4039  
DOCUMENT TYPE: Journal  
LANGUAGE: English


IDS

L3 ANSWER 17 OF 17 CASREACT COPYRIGHT 2005 ACS on STN  
ACCESSION NUMBER: 86:5357 CASREACT  
TITLE: Metalated nitrogen derivatives of carbonic acid in  
organic synthesis, VIII. 2-Thioxo-oxazolidines by  
cycloaddition of  $\alpha$ -metalated alkyl  
isothiocyanates to carbonyl compounds  
AUTHOR(S): Hoppe, Dieter; Follmann, Rainer  
CORPORATE SOURCE: Org.-Chem. Inst., Univ. Goettingen, Goettingen, Fed.  
Rep. Ger.  
SOURCE: Chemische Berichte (1976), 109(9), 3047-61  
CODEN: CHBEAM; ISSN: 0009-2940  
DOCUMENT TYPE: Journal  
LANGUAGE: German

=&gt; d hit 4-17

L3 ANSWER 4 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(9) OF 48 ...W + H ==&gt; Y...



RX(9) RCT W 511303-27-8

STAGE(1)

RGT K 4111-54-0 LiN(Pr-i)<sub>2</sub>

SOL 1634-04-4 t-BuOMe

CON 20 minutes, -50 deg C

STAGE(2)

RCT  $\text{H}$  74-88-4

SOL 7226-23-5 DMPU



CON 1.5 hours, -50 deg C

PRO Y 511303-30-3

LDA  
t-BuOMe / DMPU  
-50 °C

RX(20) OF 48 COMPOSED OF RX(8), RX(9)

RX(20) U + V + H ==&gt; Y



RX(8) RCT U 64331-72-2, V 64-18-6  
PRO W 511303-27-8  
SOL 108-24-7 Ac2O



CON 1 hour, reflux  
NTE stereoselective

RX(9) RCT W 511303-27-8

STAGE(1)

RGT K 4111-54-0 LiN(Pr-i)<sub>2</sub>  
SOL 1634-04-4 t-BuOMe  
CON 20 minutes, -50 deg C

STAGE(2)


RCT H 74-88-4  
SOL 7226-23-5 DMPU  
CON 1.5 hours, -50 deg C

PRO Y 511303-30-3

-50°C

RX(21) OF 48 COMPOSED OF RX(9), RX(10)

RX(21) W + H ==> E



RX(9) RCT W 511303-27-8

STAGE(1)

RGT K 4111-54-0 LiN(Pr-i)<sub>2</sub>  
SOL 1634-04-4 t-BuOMe  
CON 20 minutes, -50 deg C

STAGE(2)

RCT H 74-88-4  
SOL 7226-23-5 DMPU  
CON 1.5 hours, -50 deg C

PRO Y 511303-30-3

RX(10) RCT Y 511303-30-3

STAGE(1)

SOL 68-12-2 DMF, 7732-18-5 Water  
CON 7 minutes, room temperature

STAGE(2)


RGT AA 7558-80-7 NaH<sub>2</sub>PO<sub>4</sub>  
CON 24 hours, room temperature

PRO E 511303-33-6


NTE biotransformation, buffered soln., enzymic, stereoselective

X R.T.


RX(34) OF 48 COMPOSED OF RX(8), RX(9), RX(10)  
 RX(34) U + V + H ==> E



U




V



H

3  
 STEPS  
 →



E  
 YIELD 80%

RX(8) RCT U 64331-72-2, V 64-18-6  
 PRO W 511303-27-8  
 SOL 108-24-7 Ac2O  
 CON 1 hour, reflux  
 NTE stereoselective

RX(9) RCT W 511303-27-8

STAGE(1)

RGT K 4111-54-0 LiN(Pr-i)2  
 SOL 1634-04-4 t-BuOMe  
 CON 20 minutes, -50 deg C

STAGE(2)

RCT H 74-88-4  
 SOL 7226-23-5 DMPU  
 CON 1.5 hours, -50 deg C

PRO Y 511303-30-3

RX(10) RCT Y 511303-30-3

STAGE(1)

SOL 68-12-2 DMF, 7732-18-5 Water  
 CON 7 minutes, room temperature

STAGE(2)

RGT AA 7558-80-7 NaH2PO4  
 CON 24 hours, room temperature


PRO E 511303-33-6

NTE biotransformation, buffered soln., enzymic, stereoselective


-50°C

L3 ANSWER 5 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(1) OF 70 A + B ==&gt; C...





A



B

(1) →




C

YIELD 55%

RX(1) RCT A 93250-91-0, B 106-95-6  
 RGT D 4111-54-0 LiN(Pr-i)2, E 680-31-9 HMPT  
 PRO C 93250-96-5  
 SOL 109-99-9 THF  
 CON -78 deg C  
 NTE stereoselective


L3 ANSWER 6 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(1) OF 3 A ==&gt; B



A

(1) →




B

YIELD 66%

RX(1) RCT A 467233-08-5  
 RGT C 665-46-3 Et4N.F, D 7664-39-3 HF  
 PRO B 467233-11-0  
 CAT 7440-06-4 Pt  
 SOL 75-05-8 MeCN  
 NTE Electrochem., platinum anode, alternative reaction conditions  
 gave lower yield


RX(2) OF 3 G ==> H



RX(2) RCT G 467233-09-6  
 RGT C 665-46-3 Et4N.F, D 7664-39-3 HF  
 PRO H 467233-12-1  
 CAT 7440-06-4 Pt  
 SOL 75-05-8 MeCN  
 NTE Electrochem., platinum anode, alternative reaction conditions  
 gave lower yield, stereoselective

L3 ANSWER 7 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(3) OF 46 ...F + I ==> J...



RX(3) RCT F 62972-76-3

## STAGE(1)

RGT K 7226-23-5 DMPU, L 109-72-8 BuLi, M 108-18-9 i-Pr2NH  
SOL 109-99-9 THF, 110-54-3 HexaneLDA DMPU  
THF, Hex


## STAGE(2)

RCT I 100-39-0


PRO J 450359-14-5

RX(14) OF 46 COMPOSED OF RX(2), RX(3)


RX(14) C + E + I ==&gt; J




C



E



I

2  
STEPS  
→

J

YIELD 30%

RX(2) RCT C 19907-59-6, E 64-18-6  
RGT G 108-24-7 Ac2O, H 141-53-7 Na formate  
PRO F 62972-76-3

RX(3) RCT F 62972-76-3

## STAGE(1)

RGT K 7226-23-5 DMPU, L 109-72-8 BuLi, M 108-18-9 i-Pr2NH  
SOL 109-99-9 THF, 110-54-3 HexaneLDA  
DMPU/THF/  
Hex



## STAGE(2)

RCT I 100-39-0

PRO J 450359-14-5

L3 ANSWER 8 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(26) OF 61 COMPOSED OF RX(3), RX(4), RX(5)  
 RX(26) 2 H ==> Q



Q  
 YIELD 51%

RX(3) RCT H 145451-89-4  
 RGT E 16940-66-2 NaBH4  
 PRO K 393867-18-0  
 SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
 SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
 NTE Swern oxidn.

RX(5) RCT H 145451-89-4

STAGE(1)

RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
 SOL 109-99-9 THF

HMDS

STAGE(2)



RCT M 393867-20-4

PRO Q 393867-22-6

NTE stereoselective, optimization study, optimized on  
base, additives, timeRX(29) OF 61 COMPOSED OF REACTION SEQUENCE RX(2), RX(5)  
AND REACTION SEQUENCE RX(3), RX(4), RX(5)


...C + G ==&gt; H...


...2 H ==&gt; Q



H

START NEXT REACTION SEQUENCE





Q  
YIELD 51%

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(3) RCT H **145451-89-4**  
RGT E 16940-66-2 NaBH4  
PRO K 393867-18-0  
SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
NTE Swern oxidn.

RX(5) RCT H **145451-89-4**

STAGE(1)

RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
SOL 109-99-9 THF

STAGE(2)

RCT M 393867-20-4





PRO Q **393867-22-6**

NTE stereoselective, optimization study, optimized on  
base, additives, time

RX(30) OF 61 COMPOSED OF RX(3), RX(4), RX(5), RX(7)

RX(30) 4 H + O ==> U + V





RX(3) RCT H 145451-89-4  
 RGT E 16940-66-2 NaBH4  
 PRO K 393867-18-0  
 SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
 SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
 NTE Swern oxidn.

RX(5) RCT H 145451-89-4

STAGE(1)

RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
 SOL 109-99-9 THF


STAGE(2)

RCT M 393867-20-4


PRO Q 393867-22-6  
 NTE stereoselective, optimization study, optimized on  
 base, additives, time

RX(7) RCT Q 393867-22-6, O 67-68-5  
 RGT W 108-24-7 Ac<sub>2</sub>O  
 PRO U 393867-28-2, V 393867-30-6  
 SOL 64-19-7 AcOH


RX(39) OF 61 COMPOSED OF RX(2), RX(3), RX(4), RX(5), RX(7)  
 RX(39) 4 C + 4 G + 3 H + O ==> U + V




4 C




2 G






2 G



H



2 H

5  
STEPSU  
YIELD 25% (50)V  
YIELD 25% (50)

RX(2) RCT C 123639-56-5, G 630-19-3  
 PRO H 145451-89-4  
 CAT 104-15-4 TsOH  
 SOL 108-88-3 PhMe  
 NTE stereoselective

RX(3) RCT H 145451-89-4  
 RGT E 16940-66-2 NaBH4  
 PRO K 393867-18-0  
 SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4

NTE Swern oxidn.

RX(5) RCT H 145451-89-4

STAGE(1)

RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
SOL 109-99-9 THF

STAGE(2)

RCT M 393867-20-4

PRO Q 393867-22-6

NTE stereoselective, optimization study, optimized on  
base, additives, time

RX(7) RCT Q 393867-22-6, O 67-68-5


RGT W 108-24-7 Ac<sub>2</sub>O

PRO U 393867-28-2, V 393867-30-6

SOL 64-19-7 AcOH


RX(44) OF 61 COMPOSED OF RX(1), RX(2), RX(3), RX(4), RX(5), RX(7)

RX(44) 4 A + 4 B + 4 G + 3 H + O ==> U + V




● HCl


4 A




4 B




2 G




2 G




H




2 H



6  
STEPS  
→



U  
YIELD 25% (50)



V  
YIELD 25% (50)

RX(1) RCT A 5680-80-8, B 100-52-7  
STAGE(1)

RGT D 121-44-8 Et3N  
SOL 67-56-1 MeOH

STAGE(2)  
RGT E 16940-66-2 NaBH4

PRO C 123639-56-5

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(3) RCT H 145451-89-4  
RGT E 16940-66-2 NaBH4  
PRO K 393867-18-0  
SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)  
RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)  
RGT D 121-44-8 Et3N

PRO M 393867-20-4  
NTE Swern oxidn.

RX(5) RCT H 145451-89-4

STAGE(1)  
RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
SOL 109-99-9 THF



STAGE(2)  
RCT M 393867-20-4

PRO Q 393867-22-6  
NTE stereoselective, optimization study, optimized on  
base, additives, time

RX(7) RCT Q 393867-22-6, O 67-68-5  
RGT W 108-24-7 Ac<sub>2</sub>O  
PRO U 393867-28-2, V 393867-30-6  
SOL 64-19-7 AcOH


RX(50) OF 61 COMPOSED OF REACTION SEQUENCE RX(2), RX(5), RX(7)  
AND REACTION SEQUENCE RX(3), RX(4), RX(5), RX(7)

...2 C + 2 G ==> H...  
...3 H + O ==> U + V




H


START NEXT REACTION SEQUENCE




H

H





U  
YIELD 25% (50)



V  
YIELD 25% (50)

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(3) RCT H 145451-89-4  
RGT E 16940-66-2 NaBH4  
PRO K 393867-18-0  
SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
NTE Swern oxidn.

RX(5) RCT H 145451-89-4



## STAGE(1)

RGT R 4039-32-1 (Me3Si)2N.Li  
 SOL 109-99-9 THF

## STAGE(2)

RCT M 393867-20-4

PRO Q 393867-22-6


NTE stereoselective, optimization study, optimized on  
 base,additives,time

RX(7) RCT Q 393867-22-6, O 67-68-5  
 RGT W 108-24-7 Ac2O  
 PRO U 393867-28-2, V 393867-30-6  
 SOL 64-19-7 AcOH


RX(51) OF 61 COMPOSED OF REACTION SEQUENCE RX(1), RX(2), RX(5), RX(7)  
 AND REACTION SEQUENCE RX(3), RX(4), RX(5), RX(7)

...2 A + 2 B + 2 G ==> H...


...3 H + O ==> U + V



● HCl




2 B






2 G

4  
 STEPS  
 →




H

START NEXT REACTION SEQUENCE



YIELD 25% (50)



YIELD 25% (50)

RX(1) RCT A 5680-80-8, B 100-52-7

STAGE(1)

RGT D 121-44-8 Et3N

SOL 67-56-1 MeOH

STAGE(2)

RGT E 16940-66-2 NaBH4

PRO C 123639-56-5

RX(2) RCT C 123639-56-5, G 630-19-3

PRO H 145451-89-4

CAT 104-15-4 TsOH

SOL 108-88-3 PhMe

NTE stereoselective

RX(3) RCT H **145451-89-4**

RGT E 16940-66-2 NaBH4

PRO K 393867-18-0

SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)2, O 67-68-5 DMSO

SOL 75-09-2 CH2Cl2

STAGE(2)

RGT D 121-44-8 Et3N

PRO M 393867-20-4

NTE Swern oxidn.

RX(5) RCT H **145451-89-4**

STAGE(1)

RGT R 4039-32-1 (Me3Si)2N.Li

SOL 109-99-9 THF

STAGE(2)

RCT M 393867-20-4

PRO Q 393867-22-6

NTE stereoselective, optimization study, optimized on  
base, additives, time

RX(7) RCT Q 393867-22-6, O 67-68-5

RGT W 108-24-7 Ac2O


PRO U **393867-28-2**, V 393867-30-6

SOL 64-19-7 AcOH



RX(53) OF 61 COMPOSED OF REACTION SEQUENCE RX(2), RX(5), RX(7)  
AND REACTION SEQUENCE RX(2), RX(3), RX(4), RX(5), RX(7)

...3 C + 3 G ==> H...


...C + G + 2 H + O ==> U + V



START NEXT REACTION SEQUENCE



U  
YIELD 25% (50)



V  
YIELD 25%(50)

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(3) RCT H 145451-89-4  
RGT E 16940-66-2 NaBH4  
PRO K 393867-18-0  
SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
NTE Swern oxidn.

RX(5) RCT H 145451-89-4

STAGE(1)

RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
SOL 109-99-9 THF

STAGE(2)

RCT M 393867-20-4

PRO Q 393867-22-6  
NTE stereoselective, optimization study, optimized on  
base, additives, time


RX(7) RCT Q 393867-22-6, O 67-68-5

RGT W 108-24-7 Ac2O  
 PRO U 393867-28-2, V 393867-30-6  
 SOL 64-19-7 AcOH


RX(54) OF 61 COMPOSED OF REACTION SEQUENCE RX(1), RX(2), RX(5), RX(7)  
 AND REACTION SEQUENCE RX(2), RX(3), RX(4), RX(5), RX(7)

...2 A + 2 B + 3 G ==> H...

...C + G + 2 H + O ==> U + V




2 G




● HCl

2 A




2 B

5  
STEPS  
→




H


START NEXT REACTION SEQUENCE





C




2 G



H



YIELD 25% (50)



YIELD 25% (50)

RX(1) RCT A 5680-80-8, B 100-52-7

STAGE(1)

RGT D 121-44-8 Et3N

SOL 67-56-1 MeOH

STAGE(2)

RGT E 16940-66-2 NaBH4

PRO C 123639-56-5

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(3) RCT H 145451-89-4  
RGT E 16940-66-2 NaBH4  
PRO K 393867-18-0  
SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

## STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

## STAGE(2)

RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
NTE Swern oxidn.

RX(5) RCT H 145451-89-4

## STAGE(1)

RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
SOL 109-99-9 THF

## STAGE(2)

RCT M 393867-20-4

PRO Q 393867-22-6  
NTE stereoselective, optimization study, optimized on  
base, additives, time


RX(7) RCT Q 393867-22-6, O 67-68-5  
RGT W 108-24-7 Ac<sub>2</sub>O  
PRO U 393867-28-2, V 393867-30-6  
SOL 64-19-7 AcOH

RX(56) OF 61 COMPOSED OF REACTION SEQUENCE RX(2), RX(5), RX(7)  
AND REACTION SEQUENCE RX(1), RX(2), RX(3), RX(4), RX(5), RX(7)


...3 C + 3 G ==> H...

...2 A + 2 B + G + 2 H + O ==> U + V






C




2 C




2 G

6  
STEPS  
→




H

START NEXT REACTION SEQUENCE




2 A


● HCl




2 B





2 G




H



H



U  
YIELD 25% (50)



V  
YIELD 25% (50)

RX(2) RCT C 123639-56-5, G 630-19-3  
PRO H 145451-89-4  
CAT 104-15-4 TsOH  
SOL 108-88-3 PhMe  
NTE stereoselective

RX(1) RCT A 5680-80-8, B 100-52-7

STAGE(1)

RGT D 121-44-8 Et3N  
SOL 67-56-1 MeOH

STAGE(2)

RGT E 16940-66-2 NaBH4

PRO C 123639-56-5

RX(2) RCT C 123639-56-5, G 630-19-3  
 PRO H 145451-89-4  
 CAT 104-15-4 TsOH  
 SOL 108-88-3 PhMe  
 NTE stereoselective

RX(3) RCT H 145451-89-4  
 RGT E 16940-66-2 NaBH4  
 PRO K 393867-18-0  
 SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)  
 RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO  
 SOL 75-09-2 CH<sub>2</sub>Cl<sub>2</sub>

STAGE(2)  
 RGT D 121-44-8 Et<sub>3</sub>N

PRO M 393867-20-4  
 NTE Swern oxidn.

RX(5) RCT H 145451-89-4


STAGE(1)  
 RGT R 4039-32-1 (Me<sub>3</sub>Si)<sub>2</sub>N.Li  
 SOL 109-99-9 THF

STAGE(2)  
 RCT M 393867-20-4


PRO Q 393867-22-6  
 NTE stereoselective, optimization study, optimized on  
 base, additives, time

RX(7) RCT Q 393867-22-6, O 67-68-5  
 RGT W 108-24-7 Ac<sub>2</sub>O  
 PRO U 393867-28-2, V 393867-30-6  
 SOL 64-19-7 AcOH



RX(57) OF 61 COMPOSED OF REACTION SEQUENCE RX(1), RX(2), RX(5), RX(7)  
 AND REACTION SEQUENCE RX(1), RX(2), RX(3), RX(4), RX(5), RX(7)  
 ...3 A + 3 B + 3 G ==> H...  
 ...A + B + G + 2 H + O ==> U + V



## START NEXT REACTION SEQUENCE




● HCl




4 A

4 B



2 G




H



H

6  
STEPS  
→U  
YIELD 25% (50)



V  
YIELD 25% (50)

RX(1) RCT A 5680-80-8, B 100-52-7

STAGE(1)

RGT D 121-44-8 Et<sub>3</sub>N

SOL 67-56-1 MeOH

STAGE(2)

RGT E 16940-66-2 NaBH<sub>4</sub>

PRO C 123639-56-5

RX(2) RCT C 123639-56-5, G 630-19-3

PRO H 145451-89-4

CAT 104-15-4 TsOH

SOL 108-88-3 PhMe

NTE stereoselective

RX(1) RCT A 5680-80-8, B 100-52-7

STAGE(1)

RGT D 121-44-8 Et<sub>3</sub>N

SOL 67-56-1 MeOH

STAGE(2)

RGT E 16940-66-2 NaBH<sub>4</sub>

PRO C 123639-56-5

RX(2) RCT C 123639-56-5, G 630-19-3

PRO H 145451-89-4

CAT 104-15-4 TsOH

SOL 108-88-3 PhMe

NTE stereoselective

RX(3) RCT H 145451-89-4

RGT E 16940-66-2 NaBH<sub>4</sub>

PRO K 393867-18-0

SOL 67-56-1 MeOH, 109-99-9 THF

RX(4) RCT K 393867-18-0

STAGE(1)

RGT N 79-37-8 (COCl)<sub>2</sub>, O 67-68-5 DMSO

SOL 75-09-2 CH2Cl2

STAGE(2)

RGT D 121-44-8 Et3N

PRO M 393867-20-4

NTE Swern oxidn.

RX(5) RCT H 145451-89-4

STAGE(1)

RGT R 4039-32-1 (Me3Si)2N.Li

SOL 109-99-9 THF

STAGE(2)

RCT M 393867-20-4

PRO Q 393867-22-6

NTE stereoselective, optimization study, optimized on  
base, additives, time

RX(7) RCT Q 393867-22-6, O 67-68-5


RGT W 108-24-7 Ac2O

PRO U 393867-28-2, V 393867-30-6


SOL 64-19-7 AcOH

L3 ANSWER 9 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(1) OF 13 A + B ==&gt; C...





A



B

(1) →

9



C  
YIELD 64%

RX(1) RCT A 271771-97-2

STAGE(1)

RGT D 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF


STAGE(2)

RCT B 90110-63-7


PRO C 342043-15-6

NTE stereoselective

RX(2) OF 13 A + F ==> G...





A



F

(2) →



G  
YIELD 74%

RX(2) RCT A 271771-97-2

STAGE(1)

RGT D 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF


STAGE(2)

RCT F 76950-76-0


PRO G 342043-17-8

NTE stereoselective

RX(3) OF 13 A + H ==> I...





A



H

(3) →





I  
YIELD 50%

RX(3) RCT A 271771-97-2

STAGE(1)

RGT D 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF


STAGE(2)

RCT H 18111-18-7


PRO I 342043-19-0

NTE stereoselective

RX(4) OF 13 A + J ==> K...




A



J

(4) →



K  
YIELD 65%

RX(4) RCT A 271771-97-2

STAGE(1)

RGT D 40949-94-8 K [N(SiMe<sub>3</sub>)<sub>2</sub>]

SOL 109-99-9 THF

STAGE(2)

RCT J 157766-09-1


PRO K 342043-21-4

NTE stereoselective

L3 ANSWER 10 OF 17 CASREACT COPYRIGHT 2005 ACS on STN


10

RX(3) OF 48 ...G + I ==> J...



H<sub>3</sub>C-I

(3) →



G

I

J

RX(3) RCT G 271771-97-2

STAGE(1)

RGT K 40949-94-8 K [N(SiMe<sub>3</sub>)<sub>2</sub>]

SOL 109-99-9 THF



STAGE(2)

RCT I 74-88-4

PRO J 271771-98-3

NTE stereoselective key step; (95% d.e.)

RX(4) OF 48 ...G + M ==> N...



YIELD 97%

RX(4) RCT G 271771-97-2

STAGE(1)

RGT K 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF


STAGE(2)



RCT M 107-08-4

PRO N 271772-00-0

NTE stereoselective key step; (86% d.e.)

RX(5) OF 48 ...G + O ==> P...





P

RX(5) RCT G 271771-97-2

STAGE(1)

RGT K 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF


STAGE(2)

RCT O 620-05-3


PRO P 271772-01-1

NTE stereoselective key step (88% d.e.)


RX(6) OF 48 ...G + Q ==&gt; R



G



Q

R  
YIELD 73%

RX(6) RCT G 271771-97-2

STAGE(1)

RGT K 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF




STAGE(2)

RCT Q 98-88-4

PRO R 271772-02-2

NTE stereoselective key step (81% d.e.)

RX(7) OF 48 ...G + S ==&gt; T...



RX(7) RCT G 271771-97-2

STAGE(1)

RGT K 40949-94-8 K [N(SiMe3)2]

SOL 109-99-9 THF

STAGE(2)

RCT S 96-32-2

PRO T 271772-03-3

NTE stereoselective key step (95% d.e.)

L3 ANSWER 11 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(3) OF 6 ...C + H ==&gt; D...

K H M D A


THF

W

Tet Lett

-78°C

X



RX(3) RCT C 104654-63-9

STAGE(1)

RGT I 4111-54-0 LiN(Pr-i)<sub>2</sub>, J 7226-23-5 DMPU

SOL 109-99-9 THF

*LDA THF DMPU*

STAGE(2)

RCT H 74-88-4



SOL 109-99-9 THF

PRO D 148692-18-6

NTE Stereoselective/key step

RX(4) OF 6 COMPOSED OF RX(1), RX(3)

RX(4) A + B + H  $\Rightarrow$  D



RX(1) RCT A 113234-78-9, B 64-18-6

PRO C 104654-63-9

SOL 64-18-6 HCO<sub>2</sub>H

RX(3) RCT C 104654-63-9

STAGE(1)

10/785,627

11/15/2005

RGT I 4111-54-0 LiN(Pr-i)<sub>2</sub>, J 7226-23-5 DMPU  
 SOL 109-99-9 THF

STAGE(2)

RCT H 74-88-4

SOL 109-99-9 THF

LDA DMPU  
 THF

PRO D 148692-18-6

NTE Stereoselective/key step


L3 ANSWER 12 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

12

RX(2) OF 36 G + H ==&gt; I...

JACS

-78°C X



I  
 YIELD 51%

RX(2) RCT G 145451-89-4

STAGE(1)

RGT J 7550-35-8 LiBr, K 4111-54-0 LiN(Pr-i)<sub>2</sub>  
 SOL 109-99-9 THF

STAGE(2)

RCT H 78-84-2

SOL 109-99-9 THF

PRO I 145451-90-7


NTE stereoselective; key step

LiBr  
 LDA


L3 ANSWER 13 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

13


RX(1) OF 7 A + B ==&gt; C...



A



B



C

YIELD 60%

RX(1) RCT A 93250-91-0

STAGE(1)

BASE

RGT D 4111-54-0 LiN(Pr-i)<sub>2</sub>

SOL 109-99-9 THF, 110-54-3 Hexane

LDA / THF / Hex

STAGE(2)

E<sup>+</sup> →

RCT B 112-67-4

SOL 109-99-9 THF, 110-54-3 Hexane


PRO C 131148-72-6

NTE key step


L3 ANSWER 14 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

14


RX(33) OF 126 ...BZ + AL ==&gt; CE...



BZ



AL

CE  
YIELD 68%

RX(33) RCT BZ 93250-91-0, AL 74-88-4


RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>

PRO CE 93250-94-3

SOL 109-99-9 THF, 1608-26-0 P(NMe<sub>2</sub>)<sub>3</sub>




RX(34) OF 126 ...BZ + AO ==&gt; CF



RX(34) RCT BZ 93250-91-0, AO 75-03-6  
 RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>  
 PRO CF 93250-95-4  
 SOL 109-99-9 THF, 7226-23-5 DMPU

RX(35) OF 126 ...BZ + O ==&gt; CG




CG  
YIELD 57%

RX(35) RCT BZ 93250-91-0, O 106-95-6  
 RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>  
 PRO CG 93250-96-5

SOL 109-99-9 THF, 1608-26-0 P(NMe<sub>2</sub>)<sub>3</sub>


RX(36) OF 126 ...BZ + X ==&gt; CH



RX(36) RCT BZ 93250-91-0, X 100-39-0  
 RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>  
 PRO CH 93250-97-6  
 SOL 109-99-9 THF, 7226-23-5 DMPU

LDA / THF / DMPU

RX(37) OF 126 ...BZ + AY ==&gt; CI




CI  
YIELD 58%

RX(37) RCT BZ 93250-91-0, AY 67-64-1  
 RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>

PRO CI 93250-98-7  
SOL 109-99-9 THF



RX(38) OF 126 ...BZ + BJ ==> CJ



RX(38) RCT BZ 93250-91-0, BJ 98-88-4  
RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>  
PRO CJ 114041-66-6  
SOL 109-99-9 THF

LDA / THF

RX(69) OF 126 COMPOSED OF RX(31), RX(33)  
RX(69) BU + BV + 2 BY + AL ==> CE




RX(31) RCT BU 93250-89-6, BV 93250-90-9, BY 2258-42-6  
PRO BZ 93250-91-0, CA 93250-92-1  
SOL 60-29-7 Et<sub>2</sub>O


RX(33) RCT BZ 93250-91-0, AL 74-88-4  
RGT H 4111-54-0 LiN(Pr-i)<sub>2</sub>  
PRO CE 93250-94-3  
SOL 109-99-9 THF, 1608-26-0 P(NMe<sub>2</sub>)<sub>3</sub>

LDA / THF


RX(70) OF 126 COMPOSED OF RX(31), RX(34)  
 RX(70) BU + BV + 2 BY + AO ==> CF




BU



BV




2 BY



AO

2  
STEPS  
→




CF  
YIELD 53%

RX(31) RCT BU 93250-89-6, BV 93250-90-9, BY 2258-42-6  
 PRO BZ 93250-91-0, CA 93250-92-1  
 SOL 60-29-7 Et2O


RX(34) RCT BZ 93250-91-0, AO 75-03-6  
 RGT H 4111-54-0 LiN(Pr-i)2  
 PRO CF 93250-95-4  
 SOL 109-99-9 THF, 7226-23-5 DMPU

LDA / THF DMPU


RX(71) OF 126 COMPOSED OF RX(31), RX(35)  
 RX(71) BU + BV + 2 BY + O ==> CG




BU



BV



2 BY




CG  
YIELD 57%

RX(31) RCT BU **93250-89-6**, BV 93250-90-9, BY 2258-42-6  
 PRO BZ 93250-91-0, CA 93250-92-1  
 SOL 60-29-7 Et2O


RX(35) RCT BZ 93250-91-0, O 106-95-6  
 RGT H 4111-54-0 LiN(Pr-i)2  
 PRO CG **93250-96-5**  
 SOL 109-99-9 THF, 1608-26-0 P(NMe2)3

LDA / THF


RX(72) OF 126 COMPOSED OF RX(31), RX(36)  
 RX(72) BU + BV + 2 BY + X ==> CH




BU





BV



2 BY






CH  
YIELD 52%

RX(31) RCT BU **93250-89-6**, BV 93250-90-9, BY 2258-42-6  
PRO BZ 93250-91-0, CA 93250-92-1  
SOL 60-29-7 Et2O


RX(36) RCT BZ 93250-91-0, X 100-39-0  
RGT H 4111-54-0 LiN(Pr-i)2  
PRO CH **93250-97-6**  
SOL 109-99-9 THF, 7226-23-5 DMPU

*LDA*  
*THF DMPU*


RX(73) OF 126 COMPOSED OF RX(31), RX(37)  
RX(73) BU + BV + 2 BY + AY ==> CI




BU



BV




2 BY



AY

2  
STEPS  
→



CI  
YIELD 58%

RX(31) RCT BU **93250-89-6**, BV 93250-90-9, BY 2258-42-6  
PRO BZ 93250-91-0, CA 93250-92-1


SOL 60-29-7 Et2O

RX(37) RCT BZ 93250-91-0, AY 67-64-1  
 RGT H 4111-54-0 LiN(Pr-i)2  
 PRO CI 93250-98-7.  
 SOL 109-99-9 THF


LDA / THF

RX(74) OF 126 COMPOSED OF RX(31), RX(38)


RX(74) BU + BV + 2 BY + BJ ==&gt; CJ




BU



BV




2 BY



BJ

2  
 STEPS  
 →



CJ

YIELD 70%


RX(31) RCT BU 93250-89-6, BV 93250-90-9, BY 2258-42-6  
 PRO BZ 93250-91-0, CA 93250-92-1  
 SOL 60-29-7 Et2O

RX(38) RCT BZ 93250-91-0, BJ 98-88-4  
 RGT H 4111-54-0 LiN(Pr-i)2  
 PRO CJ 114041-66-6  
 SOL 109-99-9 THF

L3 ANSWER 15 OF 17 CASREACT COPYRIGHT 2005 ACS on STN

RX(11) OF 51 Y + B ==&gt; Z

15




Y



B

(11) →



Z

RX(11) RCT Y 93250-91-0

STAGE(1)

RGT D 4111-54-0 LiN(Pr-i)2

SOL 109-99-9 THF

STAGE(2)

RCT B 17082-05-2

SOL 109-99-9 THF

STAGE(3)

RGT E 64-19-7 AcOH

SOL 109-99-9 THF


PRO Z 104194-12-9

L3 ANSWER 16 OF 17 CASREACT COPYRIGHT 2005 ACS on STN


16

-78°C

RX(1) OF 1 A + B ==&gt; C




A



B

(1) →



C


YIELD 68%



RX(1) RCT A 93250-91-0, B 74-88-4  
 RGT D 4111-54-0 LiN(Pr-i)<sub>2</sub>  
 PRO C 521310-08-7  
 SOL 109-99-9 THF, 1608-26-0 P(NMe<sub>2</sub>)<sub>3</sub>  
 NTE Classification: C-Methylation; Deformylation;  
 Diastereoselective; # Conditions: LDA THF; dry ice bath; MeI  
 HMPT

L3 ANSWER 17 OF 17 CASREACT COPYRIGHT 2005 ACS on STN


RX(23) OF 41 ...AN + N ==> 2 AO



AN

N

(23) →




AO  
YIELD 96%

AO  
YIELD 96%

RX(23) RCT AN 61079-00-3, N 61079-01-4  
 PRO AO 61079-08-1

RX(33) OF 41 COMPOSED OF RX(7), RX(23)  
 RX(33) A + M + AN ==> 2 AO



A


M

AN


2  
STEPS  
→

cyclization

Searched by Jason M. Nolan



AO  
YIELD 96%



AO  
YIELD 96%

RX(7) RCT A 24066-82-8, M 98-86-2  
RGT O 7646-69-7 NaH  
PRO N 61079-01-4

RX(23) RCT AN 61079-00-3, N 61079-01-4  
PRO AO 61079-08-1

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

181.88

182.09

STN INTERNATIONAL LOGOFF AT 16:12:18 ON 15 NOV 2005